

Architecting with Google Kubernetes Engine

Course code: GCPAGKE

Learn how to deploy and manage containerized applications on Google Kubernetes Engine (GKE). Learn how to use other tools on Google Cloud that interact with GKE deployments. This course features a combination of lectures, demos, and hands-on labs to help you explore and deploy solution elements—including infrastructure components like pods, containers, deployments, and services—along with networks and application services. You'll also learn how to deploy practical solutions, including security and access management, resource management, and resource monitoring.

Affiliate	Duration	Course price	ITB
Praha	2	15 960 Kč	0
Brno	2	15 960 Kč	0
Bratislava	2	700 €	0

The prices are without VAT.

Course terms

Date	Duration	Course price	Type	Course language	Location
25.06.2026	2	15 960 Kč	Online	EN	TD SYNEX Czech - Online
12.11.2026	1	15 960 Kč	Online	EN	TD SYNEX Czech - Online

The prices are without VAT.

Who is the course for

- Cloud architects, administrators, and SysOps/DevOps personnel
- Individuals using Google Cloud to create new solutions or to integrate existing systems, application environments, and infrastructure with Google Cloud.

What we teach you

- Understand how software containers work.
- Understand the architecture of Kubernetes.
- Understand the architecture of Google Cloud.
- Understand how pod networking works in Google Kubernetes Engine.
- Create and manage Kubernetes Engine clusters using the Google Cloud Console and gcloud/kubectl commands.
- Launch, roll back, and expose jobs in Kubernetes.
- Manage access control using Kubernetes RBAC and IAM.
- Manage pod security policies and network policies.
- Use Secrets and ConfigMaps to isolate security credentials and configuration artifacts.
- Understand Google Cloud choices for managed storage services.
- Monitor applications running in Google Kubernetes Engine.

Required skills

Completed "Google Cloud Fundamentals: Core Infrastructure" or have equivalent experience

Course outline

Module 1: Introduction to Google Cloud

- Use the Google Cloud Console
- Use Cloud Shell
- Define Cloud Computing
- Identify Google Cloud Compute Services
- Understand Regions and Zones

GOPAS Praha
Kodaňská 1441/46
101 00 Praha 10
Tel.: +420 234 064 900-3
info@gopas.cz

GOPAS Brno
Nové sady 996/25
602 00 Brno
Tel.: +420 542 422 111
info@gopas.cz

GOPAS Bratislava
Dr. Vladimíra Clementisa 10
Bratislava, 821 02
Tel.: +421 248 282 701-2
info@gopas.sk



Copyright © 2020 GOPAS, a.s.,
All rights reserved

Architecting with Google Kubernetes Engine

- Understand the Cloud Resource Hierarchy
- Administer your Google Cloud Resources

Module 2: Containers and Kubernetes in Google Cloud

- Create a Container Using Cloud Build
- Store a Container in Container Registry
- Understand the Relationship Between Kubernetes and Google Kubernetes Engine (GKE)
- Understand how to Choose Among Google Cloud Compute Platforms

Module 3: Kubernetes Architecture

- Understand the Architecture of Kubernetes: Pods, Namespaces
- Understand the Control-plane Components of Kubernetes
- Create Container Images using Cloud Build
- Store Container Images in Container Registry
- Create a Kubernetes Engine Cluster

Module 4: Kubernetes Operations

- The Kubectl Command

Module 5: Deployment, Jobs, and Scaling

- Deployments
- Ways to Create Deployments
- Services and Scaling
- Updating Deployments
- Rolling Updates
- Blue/Green Deployments
- Canary Deployments
- Managing Deployments
- Jobs and CronJobs
- Parallel Jobs
- CronJobs
- Cluster Scaling
- Downscaling
- Node Pools
- Controlling Pod Placement
- Affinity and Anti-Affinity
- Pod Placement Example
- Taints and Tolerations
- Getting Software into your Cluster

Module 6: GKE Networking

- Introduction
- Pod Networking
- Services
- Finding Services
- Service Types and Load Balancers
- How Load Balancers Work
- Ingress Resource
- Container-Native Load Balancing
- Network Security

Module 7: Persistent Data and Storage

- Volumes

GOPAS Praha

Kodaňská 1441/46
101 00 Praha 10
Tel.: +420 234 064 900-3
info@gopas.cz

GOPAS Brno

Nové sady 996/25
602 00 Brno
Tel.: +420 542 422 111
info@gopas.cz

GOPAS Bratislava

Dr. Vladimíra Clementisa 10
Bratislava, 821 02
Tel.: +421 248 282 701-2
info@gopas.sk



Copyright © 2020 GOPAS, a.s.,
All rights reserved

Architecting with Google Kubernetes Engine

- Volume Types
- The PersistentVolume Abstraction
- More on PersistentVolumes
- StatefulSets
- ConfigMaps
- Secrets

Module 8: Access Control and Security in Kubernetes and Kubernetes Engine

- Understand Kubernetes Authentication and Authorization
- Define Kubernetes RBAC Roles and Role Bindings for Accessing Resources in Namespaces
- Define Kubernetes RBAC Cluster Roles and ClusterRole Bindings for
- Accessing Cluster-scoped Resources
- Define Kubernetes Pod Security Policies
- Understand the Structure of IAM
- Define IAM roles and Policies for Kubernetes Engine Cluster Administration

Module 9: Logging and Monitoring

- Use Cloud Monitoring to monitor and manage availability and performance
- Locate and inspect Kubernetes logs
- Create probes for wellness checks on live applications

Module 10: Using Google Cloud Managed Storage Services from Kubernetes Applications

- Understand Pros and Cons for Using a Managed Storage Service Versus Self-managed Containerized Storage
- Enable Applications Running in GKE to Access Google Cloud Storage Services
- Understand Use Cases for Cloud Storage, Cloud SQL, Cloud Spanner, Cloud Bigtable, Cloud Firestore, and BigQuery from within a Kubernetes Application

Module 11: Logging and Monitoring

- CI/CD overview
- CI/CD for Google Kubernetes Engine
- CI/CD Examples
- Manage application code in a source repository that can trigger code changes to a continuous delivery pipeline.

GOPAS Praha

Kodaňská 1441/46
101 00 Praha 10
Tel.: +420 234 064 900-3
info@gopas.cz

GOPAS Brno

Nové sady 996/25
602 00 Brno
Tel.: +420 542 422 111
info@gopas.cz

GOPAS Bratislava

Dr. Vladimíra Clementisa 10
Bratislava, 821 02
Tel.: +421 248 282 701-2
info@gopas.sk



Copyright © 2020 GOPAS, a.s.,
All rights reserved