

# Creating responsive websites using HTML5, CSS3 and Bootstrap

Course code: INTBSTRAP

The course is designed for all web application developers who want to learn to create responsive Web pages using HTML5, CSS3 and Bootstrap. The course will learn how to create an application from initial design to actual implementation, and all on demonstrations and examples.

Affiliate	Duration	Course price	ITB
Praha	2	11 000 Kč	20
Brno	2	11 000 Kč	20
Bratislava	2	440 €	20

The prices are without VAT.

## Course terms

Date	Duration	Course price	Type	Course language	Location
30.03.2026	2	11 000 Kč	Presence	CZ/SK	GOPAS Praha
04.05.2026	2	440 €	Presence	CZ/SK	GOPAS Bratislava

The prices are without VAT.

## Who the course is for:

- The course is designed not only for all web application developers, but also for graphic designers, UX designers who want to learn how to create responsive design websites using HTML5, CSS3 and Bootstrap

## Required skills:

- Knowledge of HTML5 and CSS3 level course HTMLCSS
- JavaScript knowledge level course INTJS1

## Teaching methods:

- Professional explanation with practical samples and examples.

## Teaching materials:

- Powerpoint handouts and module printouts.

## Course syllabus:

Introduction to Responsible Design

- How to properly design a layout
- Display on mobile devices
- Slicing graphic design

Bootstrap

- Grid system
- Basic and general CSS class Bootstrap
- Both the responsive images, forms, tables
- Components (navigation, carousel, dropdown menus, collapsible, modal ...)
- Customization

Flex-Box

Alternative solutions

- Skeleton (simple css responsive grid)

### GOPAS Praha

Kodaňská 1441/46  
101 00 Praha 10  
Tel.: +420 234 064 900-3  
[info@gopas.cz](mailto:info@gopas.cz)

### GOPAS Brno

Nové sady 996/25  
602 00 Brno  
Tel.: +420 542 422 111  
[info@gopas.cz](mailto:info@gopas.cz)

### GOPAS Bratislava

Dr. Vladimíra Clementisa 10  
Bratislava, 821 02  
Tel.: +421 248 282 701-2  
[info@gopas.sk](mailto:info@gopas.sk)



Copyright © 2020 GOPAS, a.s.,  
All rights reserved